TuftsMedicine

EpicEdge Tips & Tricks

Inpatient Hospice Medication Reconciliation

At SOC clinicians may see a medication list if the patient has been seen by a Tufts Medicine provider in the past. If not, there will not be a medication list in the referral. Clinicians have the option run a query that will pull in any outside medications.

Once there is a patient medication list it is shared across all Tufts providers, so it must be updated real time. If you choose to pull outside medications and add them to the med list, the medications must be reconciled within one hour of pulling the medications to the med list.

Important Note: This is a patient safety requirement.

Clinicians have the option to add medications manually at the SOC or to run the outside medication query.

If there is no medication list and you choose to proceed with the outside medication reconciliation process, please follow the below workflow to complete the medication reconciliation for outside medications for Inpatient Hospice patients.

1. Create an Orders Only encounter by clicking the Epic Button > choose Patient Care > choose Encounter.



2. Search for the patient and click **Find Patient** button.

ame/MRN:		EPI ID:		
SN:	<u>م</u>	Sex (Legal):	Q	
rth date:	ä	Zip Code:		
hone #:				

3. Select **New** to add the new encounter.

Contact Date	Contact Type	Provider	Department		Status	
01/23/2023	Documentation	Josephine Larocque, RN	TMCAH SCHEDULIN	G		
01/23/2023	Orders Only	Josephine Larocque, RN	TMCAH SCHEDULING	G		
01/22/2023	Orders Only	Jacquelyn Breeden, RN	TMCAH SCHEDULING	G		
01/21/2023	Orders Only	Michelle-Rae Reinhold, NP	TMCAH SCHEDULING	G		
01/21/2023	Orders Only	Bria Grady, RN	TMCAH SCHEDULING	G		
01/20/2023	Appointment	Laurene Baker-Quick, RN	TMCAH HSPC LAWRENCE		Cancele	d (Provi
01/20/2023	Appointment	Gladys Ferreras, CNA	TMCAH HH LAWRENCE Cance		Cancele	d (Provi
01/19/2023	Admission	James Baker, MD	TMCAH HIGH POINTE HOUS		Admitted	
New	Search >>		More	Accept		Cancel

4. Enter the **Type** of encounter. The other fields will automatically populate. Then click **Accept**.

ten encounter				
<u>D</u> ate:	1/23/2023	Ë.		
<u>T</u> ype:	Orders Only	Q		
Provider:	Josephine Larocque, RN	9	<u>P</u> CP	~
Department:	TMCAH SCHEDULING	9		
	Accept		<u>C</u> ancel	

5. Select **Go Reconcile** to be taken to the Reconcile Outside Information tab.

	👰 Chart Review 🙆	Orders	Communications					
Orde	rs							
Med Ma	anagement SmartSets BestPracti	се						
¥ N	Medication Management					+ (Comme	ents
	Patient-Reported							
-	allent-reported							-
٢	Medications from outside sources							
	External medications need attention.	Go Recon	cile 🔿					
Rev	view open orders 🥐							
(Placing a new order?		an to odd a dit and size					
	orders at any point during a visit.	or your scree	en to add, edit, and sign	+ Add	Order		Dismi	SS
N	lame 🔺		Dose, Frequency	Adh	~	¥		
Out	patient Medications							
tù a	cetaminophen (Tylenol) 500 mg	tablet	1,000 mg, Every 8 hours PRN	?			с×	≽
1 <u></u>	tenolol (Tenormin) 100 mg table	et				Ŧ	с×	≽
i) د	lonazePAM (KlonoPIN) 0.5 mg t	ablet	0.5 mg, 3 times daily PRN	?		Ŧ	с×	≽
습여	livalproex (Depakote) 250 mg Di	R tablet				Ŧ	c×	⇒
	Patient taking differently: Pt is n Reported on 1/11/2023	iot able to s	tate dose or if she even takes	e medicat	ion, In	form	ant: Se	lf,
tù d	locusate sodium (Colace) 100 m	g capsule	100 mg, 2 times daily	?			с×	≽
₩₽	liquis 5 mg tablet						сx	≽
	Note (1/11/2023): LD 1/13/23	×						
습 F	LUoxetine (PROzac) 20 mg caps	ule	40 mg, Daily			¥	с×	≽
습 fi n	luticasone (Flonase) 50 mcg/acto nasal spray	uation	2 spray, Daily	?		¥	CX	≽
숩ㆍ	HYDROmorphone (Dilaudid) 2 m	g tablet	2-4 mg, Every 4 hours PRN	?			с×	\geq
습 le t	evothyroxine (Synthroid, Levoxyl ablet	l) 50 mcg		۲		Ŧ	с×	≽
습 li	sinopril 5 mg tablet		5 mg, Daily			Ŧ	с×	≽
	Note (1/17/2023): Last dose 1/1	5 🛐						
h ا	neloxicam (Mobic) 15 mg tablet						CX	≽

6. Review all meds and add medications as needed by selecting the green plus sign.



7. When a medication is added to the patients chart, verify the Medication Details are accurate, then **Accept**. There is also an option to Discontinue similar medications if needed.

Outside name Patient sig:	LORazepam C Give 1 mg sub needed for anx sublingually	ral Concentrate 2 MG/W ingually every 6 hours a iety administer 1mL	IL s
Local <u>m</u> ed:	LORazepam (Ativa	an) 2 mg/mL concentrate	ed solution
Dose:	Restrict to com	monly used values	0
Route:	sublingual		0
Frequency:	Subiligua	Å	0
PRN reaso <u>n</u> s:			
Instructions:	\$\$ 5⊄ ?	£2 +	•
Patient sig.	Place 1 mg under	the tongue.	
	I Ta <u>k</u> ing?	🗖 Long-term	
Last dose:	-		
Start date:	5/3/2023	End date:	
<u>P</u> rovider: C <u>o</u> mments:	€ 🖗 🕀	? ;? + 🔶 🔶 🍕	, - ,
() Discontinue	e similar medications	ź	
Modication		End Data	-
LORazepam (/	Ativan) 2 mg/mL		continue
concentrated Take 0	solution 25-0.5 mL (0.5-1 ma) h	v mouth every 6 (six) hour	sif
	1		

8. **IMPORTANT LAST STEP!!!** After all meds have been reconciled, select **Discard Remaining** to remove medications that are not being taken, then select **Accept** to save your work.



9. Close the Orders Only encounter by clicking the Sign Encounter button in the lower right corner of the screen.

