## Acceptable Temperature Range is 2-8° (C) or 36-46° (F)

Office: \_\_\_\_\_

| Date | Minimum<br>Temperature<br>while<br>vaccine in<br>Refrigerator<br>Box | Maximum<br>Temperature<br>while vaccine<br>in<br>Refrigerator<br>Box | Within acceptable<br>temperature range<br>of 2-8° (C) while<br>vaccine in<br>Refrigerator Box<br>(Yes/No) | Print Name |
|------|--|--|---|------------|
|      |  |  |   |            |
|      |  |  |   |            |
|      |  |  |   |            |
|      |  |  |   |            |
|      |  |  |   |            |
|      |  |  |   |            |
|      |  |  |   |            |
|      |  |  |   |            |
|      |  |  |   |            |
|      |  |  |   |            |
|      |  |  |   |            |
|      |  |  |   |            |
|      |  |  |   |            |
|      |  |  |   |            |
|      |  |  |   |            |
|      |  |  |   |            |
|      |  |  |   |            |
|      |  |  |   |            |
|      |  |  |   |            |
|      |  |  |   |            |
|      |  |  |   |            |
|      |  |  |   |            |
|      |  |  |   |            |
|      |  |  |   |            |
|      |  |  |   |            |
|      |  |  |   |            |
|      |  |  |   |            |