

OASIS WORKSHEET

M1046	<p>Influenza Vaccine Received: Did the patient receive the influenza vaccine for this year's flu season?</p> <ol style="list-style-type: none"> 1 Yes; received from your agency during this episode of care (SOC/ROC to Transfer/Discharge) 2 Yes; received from your agency during a prior episode of care (SOC/ROC to Transfer/Discharge) 3 Yes; received from another health care provider (for example, physician, pharmacist) 4 No; patient offered and declined 5 No; patient assessed and determined to have medical contraindication(s) 6 No; not indicated - patient does not meet age/condition guidelines for influenza vaccine 7 No; inability to obtain vaccine due to declared shortage 8 No; patient did not receive the vaccine due to reasons other than those listed in responses 4 – 7
M1051	<p>Pneumococcal Vaccine: Has the patient ever received the pneumococcal vaccination?</p> <p>0 No 1 Yes</p>
M1200	<p>Vision with corrective lenses if the patient usually wears them:</p> <ol style="list-style-type: none"> 0 Normal vision: sees adequately in most situations; can see medication labels, newsprint. 1 Partially impaired: cannot see medication labels or newsprint, but <u>can</u> see obstacles in path, and the surrounding layout; can count fingers at arm's length. 2 Severely impaired: cannot locate objects without hearing or touching them <u>or</u> patient non-responsive
M1240	<p>Has this patient had a formal Pain Assessment using a standardized, validated pain assessment tool (appropriate to the patient's ability to communicate the severity of pain)?</p> <ol style="list-style-type: none"> 0 No standardized, validated assessment conducted 1 Yes, and it does not indicate severe pain 2 Yes, and it indicates severe pain
M1242	<p>Frequency of Pain interfering with patient's activity or movement:</p> <ol style="list-style-type: none"> 0 Patient has no pain 1 Pain has pain that does not interfere with activity or movement 2 Less often than daily 3 Daily, but not constantly 4 All of the time
M1400	<p>When is Patient Dyspneic or noticeably short of breath?</p> <ol style="list-style-type: none"> 0 Patient is not short of breath 1 When walking more than 20 feet, climbing stairs 2 With moderate exertion (e.g. while dressing, using commode or bedpan, walking distance less than 20 feet.) 3 With minimal exertion (e.g. while eating, talking performing other ADLs) or with agitation 4 At rest (during the day or night)
M1610	<p>Urinary Incontinence or Urinary Catheter Presence:</p> <ol style="list-style-type: none"> 0 No incontinence or catheter (includes anuria or ostomy for urinary drainage) 1 Patient is incontinent 2 Patient requires a urinary catheter (specifically: external, indwelling, intermittent, or suprapubic)
M1620	<p>Bowel Incontinence Frequency</p> <ol style="list-style-type: none"> 0 Very rarely or never has bowel incontinence 1 Less often than weekly 2 One to three times weekly 3 Four to six times weekly 4 On a daily basis 5 More often than once daily <p>N/A Pt. has ostomy for elimination UK Unknown</p>
M1630	<p>Ostomy for bowel elimination Does this patient have an ostomy for bowel elimination (within the last 14 days): a) was related to an inpatient facility stay OR b) Necessitated a change in medical or treatment regime?</p> <ol style="list-style-type: none"> 0 Patient does <u>not</u> have an ostomy for bowel elimination 1 Patient's ostomy was <u>not</u> related to an inpatient stay and did <u>not</u> necessitate change in medical or treatment regime 2 The ostomy <u>was</u> related to an inpatient stay or <u>did</u> necessitate change in medical or treatment regime

OASIS WORKSHEET

M1810	<p>Current ability to Dress Upper Body safely (with or without dressing aids) including undergarments, pullovers, front-opening shirts, blouses, managing zippers, buttons, and snaps:</p> <ol style="list-style-type: none"> 0 Able to get clothes out of closet and drawers, put them on and remove them from the upper body without assistance 1 Able to dress upper body without assistance if clothing is laid out or handed to the patient 2 Someone must help the patient put on upper body clothing 3 Patient depends entirely upon another person to dress the upper body
M1820	<p>Current ability to Dress Lower Body safely (with or without dressing aids) including undergarments, slacks or nylons, shoes.</p> <ol style="list-style-type: none"> 0 Able to obtain, put on, and remove clothing and shoes without assistance 1 Able to dress lower body without assistance if clothing and shoes are laid out or handed to the patient 2 Some one must help the patient put on undergarments, slacks, socks or nylons and shoes 3 Patient depends entirely upon another person to dress the lower body
M1830	<p>Bathing: Current ability to wash entire body safely. (Excludes grooming)</p> <ol style="list-style-type: none"> 0 Able to bath self in <u>shower or tub</u> independently, including getting in or out of tub/shower 1 With the use of devices, is able to bathe self in shower or tub independently, including getting in or out of tub/shower 2 Able to bathe in shower or tub with the assistance of another person: <ol style="list-style-type: none"> (a) for intermittent supervision or encouragement or reminders (OR) (b) to get in and out of the shower or tub (OR) (c) for washing difficult to reach areas 3 Able to participate in bathing self in shower or tub, <u>but</u> requires presence of another person throughout the bath for assistance or supervision 4 Unable to use the shower or tub, but able to bathe self independently with or without the use of devices at the sink, in chair, or on commode. 5 Unable to use the shower or tub, but able to participate in bathing self in bed, at the sink, in bedside chair, or on commode, with the assistance or supervision of another person throughout the bath 6 Unable to effectively participate in bathing and is totally bathed by another person
M1840	<p>Toilet Transferring: Current ability to get to and from the toilet or bedside commode safely <u>and</u> transfer on and off toilet/commode</p> <ol style="list-style-type: none"> 0 Able to get to and from toilet independently with or without a device 1 When reminded, assisted, or supervised by another person, is able to get to and from toilet and transfer 2 <u>Unable</u> to get to and from toilet but is able to use BSC (with or without assistance) 3 <u>Unable</u> to get to and from toilet or BSC but is able to use bedpan/urinal independently 4 Is totally dependent in toileting
M1850	<p>Transferring: Current ability to move from bed to chair, or ability to turn and position self in bed, if patient is bedfast.</p> <ol style="list-style-type: none"> 0 Able to independently transfer 1 Able to transfer with minimal human assistance or with use of an assistive device 2 Able to bear weight and pivot during the transfer process but unable to transfer self 3 Unable to transfer self and is unable to bear weight or pivot when transferred by another person 4 Bedfast, unable to transfer but is able to turn and position self in bed 5 Bedfast, unable to transfer and is unable to turn and position self.
M1860	<p>Ambulation/Locomotion: Current ability to walk safely, once in standing position, or use a wheel chair, once in seated position, on a variety of surfaces.</p> <ol style="list-style-type: none"> 0 Able to independently walk on even and uneven surfaces and negotiate stairs with or without railings (needs no human assistance or assistive device) 1 With the use of a one-handed device (e.g. cane, single crutch, hemi-walker), able to independently walk on even and uneven surfaces and negotiate stairs with or without railings. 2 Requires use of a two-handed device (e.g., walker or crutches) to walk alone on a level surface and/or requires human supervision or assistance to negotiate stairs or steps on uneven surfaces 3 Able to walk only with the supervision or assistance of another person at all times. 4 Chairfast, <u>unable</u> to ambulate but is able to wheel self independently. 5 Chairfast, unable to ambulate and is <u>unable</u> to wheel self 6 Bedfast, unable to ambulate or be up in a chair.
M2200	<p>Therapy Need</p> <p>_____ Number of therapy visits indicated (total of physical, occupational and speech-language pathology 2).</p>

OASIS WORKSHEET

M1308	Current Number of Unhealed (non-epithelialized) Pressure Ulcers at Each Stage: _____ Stage 2 _____ Stage 3 _____ Stage 4 _____ Unstageable
M1322	Current Number of Stage I Pressure Ulcers: Intact skin with non-blanchable redness of a localized area usually over a bony prominence. The area may be painful, firm, soft, warmer, or cooler as compared to adjacent tissue. <input type="checkbox"/> 0 <input type="checkbox"/> 1 <input type="checkbox"/> 2 <input type="checkbox"/> 3 <input type="checkbox"/> 4 or more
M1324	Stage of Most Problematic Unhealed (Observable) Pressure Ulcer 1 Stage 1 2 Stage 2 3 Stage 3 4 Stage 4 N/A No observable pressure ulcer or unhealed pressure ulcer
M1330	Does this patient have a Stasis Ulcer 0 No 1 Yes, patient has BOTH observable and unobservable stasis ulcers 2 Yes, patient has observable stasis ulcers ONLY 3 Yes, patient has unobservable stasis ulcers ONLY (known but not observable due to non-removable dressing/device)
M1332	Current Number of Stasis Ulcer(s) that are Observable: 1 One 2 Two 3 Three 4 Four or more
M1334	Status of Most Problematic (Observable) Stasis Ulcer: 1 Fully granulating 2 Early/partial granulation 3 Not healing
M1342	Status of Most Problematic Surgical Wound 0 Newly epithelialized 1 Fully Granulating 2 Early/ Partially Granulating 3 Not Healing

SUGGESTED REVISION BASED ON REVIEW AND DISCUSSION

	Symptom Control Rating
Diagnosis (M1021 & M1023 & M1025)	
a.	0 1 2 3 4
b.	0 1 2 3 4
c.	0 1 2 3 4
d.	0 1 2 3 4
e.	0 1 2 3 4
f.	0 1 2 3 4