## Home Health VNA IV Medication Clinical Fact Sheet

Common Uses:  Labs to Monitor:	Hypercalcemia of malignancy Serum Calcium, CMP, Mg, PO4, CBC ċ diff.
	Serum Calcium, CMP, Mg, PO4, CBC ċ
	Serum Calcium, CMP, Mg, PO4, CBC ċ
	Serum Calcium, CMP, Mg, PO4, CBC ċ
	Serum Calcium, CMP, Mg, PO4, CBC ċ
Labs to Monitor:	_
Labs to Monitor:	_
	IV Hydration, Nephrotoxicity, Jaw pain,
Instructions/Precautions:	Abdominal pain, bone pain
First Dose Allowed:	N
Central Line Only:	N
IV Push:	N
Vesicant:	N
See Procedure Manual:	n/a
Only drugs listed as First Dose Allowed may be giv	ven in the home as a first dose and are
considered for a first dose on a case by case basis	by the IV Program Manager
The IV Manager and/or Clinical Director must be o	consulted before a first dose referral is accepted
n/a = Routinely given: Clinician must be any	proved to administer IV medications
1= IV Program Mgr or Clinical Director ap	
	First Dose Allowed: Central Line Only: IV Push: Vesicant: See Procedure Manual: Only drugs listed as First Dose Allowed may be give considered for a first dose on a case by case basis. The IV Manager and/or Clinical Director must be on the IV Manager and/or Clinical Director must be on the IV Manager and/or Clinical Director must be on the IV Manager and/or Clinical Director must be approximately given; Clinician must be approximately given; C