ICD-10-CM SAMPLE CROSSWALK

ICD-9-CM Diagnoses	ICD-10-CM Code Equivalent(s)	Additional Information
	- ''	Auditional information
438.21 CVA with	169.351 Hemiplegia and Hemiparesis affecting	
dominant Hemiplegia	right dominant side	
	169.352 Hemiplegia and Hemiparesis affecting	
	left dominant side	
	I69.353 Hemiplegia and Hemiparesis affecting	
	right non dominant side	
	I69.354 Hemiplegia and Hemiparesis affecting	
	left non dominant side	
438.82 CVA with	I69.391 Dysphagia following cerebral infarction	Use additional code for dysphagia R13.1-
Dysphagia		
440.20 Atherosclerosis	I70.201 Unspecified atherosclerosis of native	
	arteries of extremities, right leg	
440.23, 707.1x	I70.23 Atherosclerosis of native arteries of right	6 th character specified exact location on leg
Atherosclerosis with	leg with ulceration	1-thigh
ulceration	I70.24 Atherosclerosis of native arteries of left leg	2-calf
	with ulceration	3-ankle
		4-heel and midfoot
		5-other part of foot
		8-other part of lower leg
		9-unspecified site
		Use additional code to identify severity of ulcer(I97
		with 5 th character "1")
443.9 PVD	I73.9 Peripheral vascular disease, unspecified	
453.42 Acute embolism	I82.41 Acute embolism and thrombosis of	6 th character is used to indicate right, left or bilateral
and thrombosis of deep	femoral vein	
veins of lower extremity	I82.42of iliac vein	
	I82.42of popliteal vein	
	I82.44of tibial vein	
	I82.49of other specified deep vein of lower	
	extremity	

ICD-10-CM Sample Diagnosis Crosswalk

ICD 0 CM Diagnage	ICD 10 CM Code Equivalent(s)	Additional Information
ICD-9-CM Diagnoses	ICD-10-CM Code Equivalent(s)	
454.0 Varicose veins of	I83.00 Varicose veins of unspecified lower	I83.0- codes are combination codes with more detail
lower extremities with	extremity with ulcer	than ICD-9-CM 454.0. I83.0- codes are differentiated
ulcer	I83.001with ulcer of thigh	first by right, left or unspecified lower extremity, and
	I83.002with ulcer of calf	then by the ulcer's location on the leg or foot
	I83.003with ulcer of ankle	
	I83.004with ulcer of heel and midfoot	L97 code is also reported to identify the severity of the
	I83.005with ulcer other part of foot	ulcer
	I83.008with ulcer other part of lower leg	
	I83.009with ulcer of unspecified site	
457.1 Lymphadema	I89.0 Lymphedema, not elsewhere classified	
459.81 Venous	I87.2 Venous insufficiency (chronic) (peripheral)	
insufficiency		
459.81, 707.1x Stasis ulcer	I87.2 Venous insufficiency (chronic) (peripheral)	L97 codes are specific for location, including right and
of lower extremity	L97 Non pressure chronic ulcer of lower limb,	left, and severity, E.G. skin, fat layer exposed, necrosis
	not elsewhere classified	of muscle, necrosis of bone
486 Pneumonia, organism	J18.0 Bronchopneumonia, unspecified organism	
unspecified	J18.1 Lobar pneumonia, unspecified organism	
	J18.2 Hypostatic pneumonia, unspecified	
	organism	
	J18.8 Other pneumonia, unspecified organism	
	J18.9 Pneumonia, unspecified organism	
491.21 Obstructive chronic	J44.1 Chronic obstructive pulmonary disease	Chronic bronchitis that is obstructive is included in
bronchitis with acute	with acute exacerbation	J44. Coder must read includes and excludes notes
exacerbation		carefully
492.8 Emphysema	J43.9 Emphysema, unspecified	
496 COPD NOS	J44.9 Chronic obstructive pulmonary disease,	
	unspecified	
530.81 GERD	K21.0 Gastro-esophageal reflux disease with	
	esophagitis	
	K21.9without esophagitis	
585.6 ESRD	N18.6 ESRD	Z99.2 additional code for dialysis status

ICD-10-CM Sample Diagnosis Crosswalk

ICD-9-CM Diagnoses	ICD-10-CM Code Equivalent(s)	Additional Information
585.9 CKD	N18.9 CKD, unspecified	
596.54	N31.9 Neuromuscular dysfunction of bladder,	
	unspecified	
599.0 UTI, site not	N39.0 UTI, site unspecified	
specified	N30.00 Acute cystitis without hematuria	
682.6 Cellulitis/abscess leg	L03.115 Cellulitis of right lower limb	Cellulitis and abscesses are coded with different codes
	L03.116 Cellulitis of left lower leg	
707.03 Pressure ulcer,	L89.15 Pressure ulcer of sacral region	6 th character specified stage
coccyx		0- unstageable
		1- stage 1
		2- stage 2
		3- stage 3
		4- stage 4
		9- unspecified
707.04 Pressure ulcer, hip	L89.20 Pressure ulcer of unspecified hip	6 th character specified stage
	L89.21of right hip	0- unstageable
	L89.22of left hip	1- stage 1
	L89.4Pressure ulcer of contiguous site of	2- stage 2
	back, buttock and hip (5 th character indicates	3- stage 3
	stage)	4- stage 4
		9- unspecified
707.07 Pressure ulcer heel	L89.60 Pressure ulcer of unspecified heel	6 th character specified stage
	L89.61of right heel	0- unstageable
	L89.62of left heel	1- stage 1
		2- stage 2
		3- stage 3
		4- stage 4
		9- unspecified

ICD-10-CM Sample Diagnosis Crosswalk